

2024/25

CONDON

ENGINEERING



Livestock Equipment
Specialists



About Us

At Condon Engineering, we design products to assist farmers in comfortably housing and properly caring for their animals. We offer a vast product range and have been providing innovative solutions for almost 30 years.


In the mid 1980's, Tom Condon started making cow cubicles for his own farm. Condon Engineering was officially founded in 1993 and, over the years, the company has established itself within the Irish agri market.

We are immensely proud of the fact we manufacture our products in Ireland and that we employ so many people from our own community. We currently employ over 60 full time staff, along with our own family members, Tom's sons; Keith, Jason, Graham & Edward.

True to our roots, we pride ourselves on our resourceful nature as well as our farming background. Using the best processes and the latest technology, our team will work with you to deliver a solution that fits your needs.



1986



1998



Through the Years

2010



2024



Tom, Keith, Jason, Graham & Edward Condon.

CONTENTS

COW CUBICLES	2
KRAIBURG MATS & MATTRESSES	12
KRAIBURG SLAT & WALKWAY RUBBER	22
GATES	32
FEED BARRIERS	40
FEEDERS & DRINKERS	48
CALF EQUIPMENT	56
HANDLING EQUIPMENT	66
SHEEP EQUIPMENT	84





COW CUBICLES



ADJUSTABLE CANTILEVER CUBICLE

The Adjustable Cantilever Cubicle is our standard steel cubicle. It features a post and rail system and has been used very successfully for many years.

- ✓ Increased lying times and better cow comfort.
- ✓ Support rails prevent walk through.
- ✓ Easy to adjust the height and width of the cubicle.
- ✓ Post & Rail system allows for quick, easy installation.
- ✓ Available in single or head to head rows.



Sizes Available

5ft 9in	6ft	6ft 3in	6ft 6in	6ft 9in	7ft
---------	-----	---------	---------	---------	-----






TECHNICAL SPECIFICATIONS

Cubicle Loop: 60mm x 3.25mm CHS Pipe

Cubicle Post: 76mm x 3.65mm every 8ft-9ft

Cubicle Support Rails: 60mm x 3.25mm CHS

Neck Rail: 48mm x 2.5mm CHS





HYBRID FLEX CUBICLE

The Hybrid Flex Cubicle sets a new standard for cow comfort. By combining a plastic loop with a steel frame, we've struck the perfect balance of flexibility and structural integrity.

- ✓ Slight flex improves comfort without encroaching on adjacent spaces.
- ✓ Our Zig Zag Neck Rail offers 8 inches more height versus a straight rail.
- ✓ Improved comfort leads to reduced healthcare and veterinary costs.
- ✓ Available mounted on posts & rails or individually on square posts (see right).
- ✓ Available in single or head to head rows.



Sizes Available

6ft


6ft 3in

6ft 6in


6ft 9in



TECHNICAL SPECIFICATIONS



Hybrid Flex Cubicle Installation



Each loop is mounted directly on a box post. (Mid-rail to prevent walk through optional extra)

Transport and installation are simplified as there are fewer long rails necessary.

The same mounting brackets are used for both single and double rows.



Fixed Bracket 76mm



3 U-Bolt Headrail Clamp



The Super Space Cubicle provides extra comfort for larger animals. It features a post and rail system and has become a very popular solution since its development in 2014.

- ✓ Increased cow comfort, especially for larger animals.
- ✓ Bottom support rail is positioned away from the animal's lunge zone.
- ✓ Higher neck rail provides more space for your cows.
- ✓ Post & Rail system allows for quick, easy installation.
- ✓ Available in single or head to head rows.



Sizes Available

5ft 9in 6ft 6ft 3in 6ft 6in 6ft 9in 7ft





YOUNG STOCK CUBICLES

Our Calf & Heifer Cubicles provide fantastic intermediate accommodation for young stock, ensuring that they are trained to lie in a cubicle bed early in life.



- ✓ Provides a high level of comfort.
- ✓ Support rails prevent walk through.
- ✓ Easy to adjust the height and width of the cubicle.
- ✓ Post & Rail system allows for quick, easy installation.
- ✓ Available in single or head to head rows.

Sizes Available

3ft 6" 3ft 9" 4ft 4ft 3" 4ft 6" 4ft 9" 5ft 4ft 3" 4ft 6" 4ft 9" 6ft

Advised Cubicle Measurements

Age in Months	Min. Bed length single row against wall	Min. bed length head to head row	Cubicle width centre to centre	Edge to kerb to back of cubicle
> 22 months	7 – 8ft (2150 – 2450mm)	14 – 15 ft (4300 – 4600mm)	44" (1150mm)	10" (250mm)
16-22 months	7ft (2150mm)	14ft (4300mm)	41" (1050mm)	8" (200mm)
10 - 16 months	7ft (2150mm)	13ft (4000mm)	37" (950mm)	8" (200mm)
5 - 12 months	6ft 3in (1900mm)	12ft 6in (3850mm)	33" (850mm)	6" (150mm)
Up to 5 months	5ft 3in (1600mm)	10ft 6in (3850mm)	28" (700mm)	6" (150mm)



We make sheeted end panels suitable for single and head-to-head cubicle beds. They are hot dipped galvanised and the neck rail can be attached onto them.



Brisket pipe has become a very popular feature of cubicle beds as they position the cow correctly, reducing bed soiling, and some cows use them to rest one of their front legs on.



We developed the Zig-Zag Neck Rail primarily for use with the Hybrid Flex Cubicle. However, it is now regularly used with adjustable cantilever cubicles also, with great success.

CUBICLE FITTINGS



Single Bracket
(60x60mm / 76x60mm)




Double Bracket
(60x60mm / 76x60mm)



2 U-Bolt Headrail
Clamp



3 U-Bolt Headrail
Clamp



76mm Post Clamp



1-Bolt T Clamp
(42x42mm / 48x48mm)



Standard Headrail
End



Adjustable
Headrail End




2-D Head to Head
V Bracket



Cross-over Clamp
(48mm / 60mm / 76mm)




Tube Grip
(48x48mm)




Wire Clamp
(48x48mm)



Large RSJ Angle



RSJ Angle



Hat Bracket
(60mm/76mm)




Brisket Pipe End




Fixed Bracket
(60mm)



Fixed Bracket
(76mm)
Hybrid



Single Clamp
(60x75)
Hybrid



Double Clamp
(75x60x75)
Hybrid





MATS & MATTRESSES



Sainty Soft Interlocking Mat

The Sainty Soft Interlocking Mat is suitable for all cubicle types. The Interlocking mat has a honeycomb design incorporated into it specifically for shock absorption.

- ✓ Standard Cow Mat that helps to enhance overall cow comfort.
- ✓ Interlocking mats are easily installed on the cubicle bed.
- ✓ The hard wearing pebbled surface improves slip resistance.
- ✓ Honey comb design incorporated for shock absorption
- ✓ 5 year warranty.



Dimensions

Thickness:

25mm

Length:

170cm

Width:

120cm





Kraiburg KEN Mat


The Kraiburg KEN range of mats provide long lasting non-slip surfaces. The KEN comes in a small and large straight edge and in a puzzle edge. All of the KEN mats are 20mm in thickness.



- ✓ Made in Germany to the highest standard.
- ✓ Hard wearing pebble surface ensures durability and slip resistance.
- ✓ 5mm studs on underside of 15mm mat provides added softness for your animals.
- ✓ Stainless Steel Screws and washers securely fix mat in place.
- ✓ 10 year warranty.

Sizes Available:

Straight Edge:	1.75m x 1.10m	Large:	3.50m x 1.30m	Puzzle:	1.75m x 1.15m
-----------------------	---------------	---------------	---------------	----------------	---------------





Kraiburg KIM Puzzle Mat

A stable, high milk yield requires animal-friendly housing. For cubicle beds, this means comfortable, non-slip and clean cubicles, where the cows spend more than half of the day.

- ✓ Made in Germany to the highest standard.
- ✓ High quality interlocking joint prevents separation.
- ✓ Supple, hard wearing pebble surface is tactile to prevent slipping but also provides a comfortable bed.
- ✓ Stainless Steel Screws and washers securely fix mat in place.
- ✓ 10 year warranty.



Dimensions

Thickness:	30mm	Length:	170cm	Width:	110cm / 120cm
-------------------	------	----------------	-------	---------------	---------------





Kraiburg KIM Longline Mat

The Kraiburg KIM Roll Out Rubber mat provides non-slip and clean surfaces. This protects the joints, relieves stresses and thus improves the welfare of your animals.



- ✓ Made in Germany to the highest standard.
- ✓ Roll out rubber is quicker and easier to install.
- ✓ Supple, hard wearing pebble surface is tactile to prevent slipping but also provides a comfortable bed.
- ✓ Stainless Steel Screws and washers securely fix mat in place.
- ✓ 10 year warranty.

Dimensions

Thickness:	30mm	Length:	40m / 50m	Width:	180cm
-------------------	------	----------------	-----------	---------------	-------





Kraiburg Softbed Longline Mattress

The Kraiburg Softbed Longline Mattress is a 2-layer composition of the continuous roll system ensures a jointless and durable softness for all load conditions.


- ✓ Made in Germany to the highest standard.
- ✓ Reinforcement above the foam area improves stability and durability.
- ✓ Pronounced slope which promotes rapid drying of the sleeping surface.
- ✓ The chamfer on the rear edge: protects the joints, no tripping.
- ✓ 5 year warranty on foam, 10 on rubber.



Dimensions

Thickness:	50mm	Length:	35m	Width:	180cm
-------------------	------	----------------	-----	---------------	-------





Kraiburg WELA Longline Mattress


The WELA Longline roll out mat provides optimum softness without the need for foam underlay. The bladed underside means the shape of the mat adjusts to suit the lying animal.



- ✓ Made in Germany to the highest standard.
- ✓ Unique design allows maximum comfort while removing the need for foam.
- ✓ Supple, hard wearing air cushion profile creates pleasant and permanent lying comfort.
- ✓ Stainless Steel Screws and washers securely fix mat in place.
- ✓ 10 year warranty.

Dimensions

Thickness:	50mm	Length:	Max. 25m	Width:	165cm
-------------------	------	----------------	----------	---------------	-------





Kraiburg KEW Plus Mattress

For the last 15 years, Kraiburg's KEW Plus Mattress has set the standard in terms of comfort and durability. Its innovative three layer design ensures optimal and permanent softness.

- ✓ Made in Germany to the highest standard.
- ✓ The soft lying area in the centre of the mat promotes the correct resting position of the cow.
- ✓ The hard wearing pebbled surface improves slip resistance.
- ✓ Chamfer at the rear edge is gentle on animal joints.
- ✓ 5 year warranty on foam, 10 on rubber.



Dimensions

Thickness:	Approx. 60mm	Length:	183cm	Width:	115cm / 120cm
-------------------	--------------	----------------	-------	---------------	---------------





Kraiburg KEW Plus Longline Mattress

The KEW Plus Longline roll out mat is a 3 layer structure that has an ideal and lasting softness for every load condition. Integrated slope in the rear area assists to keep the surface dry.



- ✓ Made in Germany to the highest standard.
- ✓ Integrated slope in the rear area promotes drying of the surface.
- ✓ The KEW Cup lower mat ensures softness and protects the foam layer from moisture.
- ✓ Stainless Steel Screws and washers securely fix mat in place.
- ✓ 10 year warranty.

Dimensions

Thickness:	70mm	Length:	Max. 35m	Width:	180cm
-------------------	------	----------------	----------	---------------	-------

These fixings are needed for the correct installation of:

- KEW Plus
- KEW Puzzle
- KEW Plus Longline
- KIM Interlocking
- KIM Longline
- WELA Longline
- KEN Straight Edge
- KEN Large
- KEN Puzzle



Kraiburg Mat Fixings





K KRAIBURG

**SLAT & WALKWAY
RUBBER FLOORING**



Kraiburg KURA Slat Mat

The Kraiburg KURA Slat Mat provides animal friendly softness and improved grip. It is 20mm thick and cut to measure, meaning we can cover the full width of the slat with a single mat.

- ✓ Made in Germany to the highest standard.
- ✓ Compatible with robotic scraper systems.
- ✓ Kraiburg's KURA Slat mat is cut to measure and therefore covers the full width of the slat.
- ✓ Secure fixing system is kind on the hooves of your animals.
- ✓ 5 year warranty.





Kraiburg KARERA Vario Walkway Mat

The Kraiburg KARERA Vario walkway mat is stable and pleasantly soft. It meets all the fundamental requirements for an animal friendly walking area mat.



KARERA Vario

- ✓ Made in Germany to the highest standard.
- ✓ Puzzle Joints compensate for natural thermal expansion.
- ✓ Thanks to versatile dimensions and combination options, a wide variety of surfaces can be covered.
- ✓ Stainless Steel Screws and washers securely fix mat in place.
- ✓ 5 year warranty.

Dimensions

Thickness:	21mm	Length:	126cm	Width:	84cm
-------------------	------	----------------	-------	---------------	------






Kraiburg profiKURA Walkway Mat

The Kraiburg profiKURA walkway mat promotes high slip resistance. It supports the correct claw form through optimized claw abrasion and protects the joints of your animals.

- ✓ Made in Germany to the highest standard.
- ✓ The puzzle section is especially reinforced, so that a scraper can slide across safely.
- ✓ Puzzle compensates for natural thermal expansion.
- ✓ Stainless Steel Screws and washers securely fix mat in place.
- ✓ 5 year warranty.



profiKURA

Dimensions

Thickness:	24mm	Length:	85cm	Width:	119cm
-------------------	------	----------------	------	---------------	-------





Kraiburg KURA Walkway Mat

The Kraiburg KURA walkway mat provides non-slip and clean surfaces. This protects the joints, relieves stresses and thus improves the welfare of your animals.



KURA

- ✓ Made in Germany to the highest standard.
- ✓ Puzzle Joints compensate for natural thermal expansion.
- ✓ Hard wearing & tactile surface ensures durability and slip resistance, providing added grip and comfort underfoot.
- ✓ Stainless Steel Screws and washers securely fix mat in place.
- ✓ 5 year warranty.

Dimensions

Thickness:	24mm	Length:	85cm	Width:	119cm
-------------------	------	----------------	------	---------------	-------





Kraiburg MONTA Walkway Mat

The Kraiburg MONTA walkway mat provides grip to sloped surfaces. The 8mm rises on the mat prevent slipping and also ensure that the cows can walk in both directions.

- ✓ Made in Germany to the highest standard.
- ✓ Tested on slopes with rises of up to 20 degrees.
- ✓ Hard wearing & tactile surface ensures durability and slip resistance, providing grip and comfort underfoot.
- ✓ Stainless Steel Screws and washers securely fix mat in place.
- ✓ 10 year warranty.



Dimensions

Thickness:	16/24mm	Length:	200cm	Width:	130cm
-------------------	---------	----------------	-------	---------------	-------





Kraiburg ergoMILK Pit Mat

The Kraiburg ergoMILK pit mat has a slip resistant diamond surface that ensures the milker has optimum grip and softness underfoot.



- ✓ Made in Germany to the highest standard.
- ✓ The ergoMILK feels pleasantly soft underfoot.
- ✓ The slip resistant diamond surface ensures the mats provide the milker with optimum grip and softness.
- ✓ The mats are held together with puzzle joints.
- ✓ 5 year warranty.

Dimensions

Thickness:

17mm

Length:

170cm

Width:

95cm







ELECTRIC COW BRUSH

- ✓ Cleans cattle from dirt and accelerates blood circulation and skin quality.
- ✓ The electric cow brush starts to rotate on contact and swings freely in all directions.
- ✓ Provides a stimulus for the animals and improves overall cow comfort with a direct positive effect on animal health and total milk yield.
- ✓ Allows them to brush their back and sides as they please.
- ✓ Self brushing has been proved to be beneficial for the physical and mental wellbeing of animals.









GATES



4 Bar Backs




Standard 4 Bar Back **(0.5m - 5.5m)**




4 Bar Drinker Back **(1.5m/2.5m/3.5m)**


4 Bar Fronts (Inserts)




Latch Front **(1.5m/2.5m)**




Panel Front **(1.5m)**




Drinker Front **(1.5m)**



Calf Creep Front **(1.8m)**



Man Escape Front **(1.8m)**




4 Bar Gate Joining Set




5 BAR DIVIDING GATES (3FT - 22FT)

5 Bar Backs




Standard 5 Bar Back (0.5m - 5.5m)




5 Bar Drinker Back (1.5m/2.5m/3.5m)


5 Bar Fronts (Inserts)




Latch Front (1.5m/2.5m)




Panel Front (1.5m)




Drinker Front (1.5m)



Calf Creep Front (1.8m)



Man Escape Front (1.8m)



5 Bar Gate Joining Set

- ✓ Available in a range of lengths to span from 7ft to 19ft.
- ✓ Multiple hanging options including our specially made mounting brackets here.
- ✓ Easy to move to change divisions.




Dimensions	
Length	2500mm - 5500mm
Spacing:	300mm
Outside Diameter:	60mm

2 BAR PANEL

The 2 Bar Dividing Panel is commonly used in a cubicle house. They can be mounted on the cubicles as above or hung using posts and hangers.

- ✓ Available in a range of lengths to span from 3ft to 19ft.
- ✓ Comes in backs and fronts - similar to our 4 & 5 bar dividing gates.
- ✓ Slight adjustment in length to suit opening.

Dimensions	
Length	1000mm - 5500mm
Spacing:	312mm
Gate Height:	780mm



3 BAR LATCH GATE

OPTIONS



5 Bar Drinker Frame
(For small drinkers)



4 Bar Drinker Frame
(For large drinkers)



Bolt on Drop Bar



Bolt on Wheel
(48mm upright)



HANGERS & RECEIVERS



Standard Hanger




Spacer Hanger
(50mm step)



BIG Spacer Hanger
(75mm step)



Corner Hanger



Angle Hanger




Bolt-on Pin & Chain Hanger
(1, 2 & 3 Way)



Wall Receiving Bracket



Receiving Bracket Flange



Web Latch Receiver

- ✓ Rope pull latching system is very simple and safe to open and close.
- ✓ Posts can be floor mounted or fixed to walls either side (as shown).
- ✓ Available in Lengths up to 5m (16ft6).



Dimensions	
Gate Height:	900mm
Clearance when open:	2800mm
Total Height:	3750mm

GUILLOTINE GATE

Guillotine Gates are designed to travel vertically with ease due to a counter balance within the gate support. They are used in place where a standard gate is not suitable.

- ✓ Gate rotates vertically 180° and is held in place using pins.
- ✓ Posts can be floor mounted or fixed to walls either side.
- ✓ Available in Lengths up to 5m (16ft6).



Dimensions	
Gate Height:	900mm
Clearance when open:	2300mm
Total Height:	3250mm

UP & OVER GATE

The Up & Over Gate are designed to rotate vertically to allow stock to pass underneath. They are used in places where a standard hanging gate is not possible.

- ✓ Gate rotates vertically 90° and is held in place using pins.
- ✓ The concealed gas strut makes it easy to open & close - just like the boot of a car.
- ✓ Available in Lengths up to 6m (19ft8).



Dimensions	
Lengths available:	3000mm - 4500mm 4500mm - 6000mm

BUNGEE GATE

The Bungee Gate is a suitable option where a standard gate won't swing but height is not an issue. It swings up out of the way and can rotate on its hangers to close in multiple positions.


- ✓ Available in a range of lengths to span from 3ft to 18.5ft.
- ✓ Made with 5no. 42mm CHS rails and a 40 x 40mm box upright at hanging end.
- ✓ Gates are extendable by up to 3ft.

Dimensions

Length: 3ft-18.5ft

Spacing: 182.5mm

Height: 940mm




ADJUSTABLE FIELD GATES

- ✓ Available in a range of lengths 8ft to 16ft.
- ✓ Hot dipped galvanised, which is hardwearing, tough and robust.
- ✓ 6 Bar Heavy Yard Gate suitable for all types of farm animals

Dimensions

Lengths: 3ft, 4ft, 5ft, 6ft, 7ft, 8ft, 9ft, 10ft, 11ft, 12ft, 13ft, 14ft, 15ft, 16ft, 18ft, 20ft

Height: 1205mm




6 BAR HEAVY YARD GATE

- ✓ Available in a range of lengths 4ft to 20ft.
- ✓ Made with 5no. 42mm CHS rails and 40mm x 40mm box uprights.
- ✓ 50mm x 50mm mesh is used.

Dimensions

Lengths: 4ft, 6ft, 8ft, 10ft, 12ft, 14ft, 15ft, 16ft, 18ft, 20ft

Height: 1205mm




FULLY MESHED HEAVY GATE

- ✓ Available in a range of lengths 4ft to 16ft.
- ✓ Suitable for sheep and small animals.
- ✓ Hot dipped galvanised, which is hardwearing, tough and robust.

Dimensions

Lengths: 4ft, 5ft, 6ft, 7ft, 8ft, 9ft, 10ft, 11ft, 12ft, 13ft, 14ft, 15ft, 16ft

Height: 1205mm



9 BAR SHEEP GATE



LONDON




FEED BARRIERS



FIXED DIAGONAL BARRIER

Condon Diagonal Barriers are designed to prevent feed being dragged into the penning area. The design also reduces calves escaping through the barrier.

- ✓ Barriers are supplied with four telescopic adjustable ends.
- ✓ The standard 15ft9 (4.8m) bay allows for 10 head spaces (4.515m Barrier is used).
- ✓ Barriers are manufactured in a wide range of sizes.
- ✓ Z-shaped design minimises bullying and feed wastage.



Standard Sizes			
60mm:	4.400m	76mm:	3.000m
	4.515m		4.300m
			4.400m
			4.515m
			5.800m





TIMBER GATE BARRIER

The Timber Gate Barrier is designed to be able to hinge open completely to give full access to the pen.



- ✓ Heavy Box Section at the ends prevent barrier from sagging when opened.
- ✓ Latches are positioned in such a way so as to ensure animal safety.
- ✓ The standard 15ft9 (4.8m) bay allows for ten head spaces (4.5m Barrier is used).
- ✓ Barriers are manufactured in a wide range of sizes.
- ✓ Z-shaped design minimises bullying and feed wastage.

Standard Sizes

60mm:	4.530m	76mm:	4.400m
	4.580m		4.530m
			4.580m





SWINGING BARRIER

Our Swinging Diagonal Barrier is designed to be able to hinge open above a feed wall or feed trough. The box section at either end adds the necessary strength for the barrier to swing.

- ✓ Heavy Box Section at the ends prevent barrier from sagging when opened.
- ✓ Latches are positioned in such a way so as to ensure animal safety.
- ✓ Eyebolts on the hanging end allow slope and distance to be adjusted.
- ✓ Barriers are manufactured in a wide range of sizes.
- ✓ Z-shaped design minimises bullying and feed wastage.



Standard Sizes

60mm:	4.530m	76mm:	4.400m
	4.580m		4.530m
			4.580m





MAXFEED BARRIER

The MaxFeed Barrier is made up of bended plastic divides that enable the cow to reach out and increase their feed intake.



- ✓ Reduces sores and eliminates injuries compared to traditional feed barriers.
- ✓ The plastic divides are made with performance and cow welfare as the guiding principles.
- ✓ MaxFeed Barrier features a slight flex which allows for a natural feeding behaviour.
- ✓ Maximises Cow Comfort and strikes the perfect balance between flexibility and structural integrity.





HEADLOCK BARRIER

Headlocking barriers are designed to suit a wide range of stock. The safety of the animal is ensured while allowing the farmer to maintain better management of the herd.

- ✓ Anti Choke mechanism allows the animal to be released quickly.
- ✓ Control Lever is connected to a row of Headlocks.
- ✓ Can release all or one at a time.
- ✓ Head width can be adjusted.
- ✓ Lower Cover prevents smaller animals getting caught accidentally.
- ✓ Very robust & durable.
- ✓ 1-9 spaces available.

No. of Spaces	Opening Size	Barrier Length
1 Space	1 m	720 mm
2 Space	1.67 m	1380 mm
3 Space	2.1 m	1815 mm
4 Space	3 m	2620 mm
5 Space	3.65 m	3125 mm
6 Space	4 m	3720 mm
7 Space	4.6 m	4280 mm
7 Space	4.8 m Standard	4480 mm
8 Space	5 m	4720 mm
9 Space	6 m	5720 mm





The 2 Bar Feed Rail allows for adjustment. This guarantees that the barrier is appropriate for both young and mature stock.



- ✓ 88.9mm Horizontal Rail c/w 101mm End & Centre Sockets.
- ✓ Hangers are off centre on sides to allow for 2 height settings.
- ✓ Centre eyebolt allows easy adjustment.
- ✓ 2 Bar Feed Rail is heavy duty making it ideal for large livestock.
- ✓ Height can be adjusted by rotating the feed barrier
- ✓ Can be fitted at an angle to give cattle better access to feed.

Dimensions

Length:	Up to 6m
Rail Diameter:	88.9mm
Height:	500mm







FEEDERS & DRINKERS

- ✓ Available in 2 standard sizes - 4ft & 6ft. Capacities of 150L & 225L respectively.
- ✓ Complete with a Standard Red Ballcock and 2 inch release valve.
- ✓ Slimline version also available.



Dimensions	
Length:	1320mm/1980mm
Width:	510mm
Depth:	400mm

WALL MTD. DRINKER

The Wall Mounted Drinker's lever drain valve ensures that the drinker can be quickly emptied and cleaned. Available **Hot Dipped Galvanised** or in **Stainless Steel**.

- ✓ Available in 2 standard sizes - 4ft & 6ft. Capacities of 157.5L & 247.5L respectively.
- ✓ The tip-over facility ensures that the drinker can be quickly emptied and cleaned.
- ✓ Simple mounting system.



Dimensions	
Length:	1320mm/1980mm
Width:	510mm
Depth:	400mm

TIP OVER DRINKER

Our Tip Over Drinker has the advantage of being even quicker and easier to empty - just pull the lever as you walk past. Available **Hot Dipped Galvanised** or in **Stainless Steel**.

- ✓ Stainless Steel Water Trough – 65 Litres Capacity Approx.
- ✓ All water fittings are hidden with the gate and drinker.
- ✓ Fast flow Ball Valve Supplied.



Dimensions	
Length:	1320mm
Protective Rail:	60mm CHS
Capacity:	65L Approx.

CENTRALISED DRINKER GATE

The Centralised Tip-Over Drinker is a great solution to providing fresh, clean water to adjacent cattle pens. The tip-over function makes it very simple to empty and keep clean.

- ✓ Tip-over release handle ensures quick emptying & Cleaning
- ✓ Complete with standard 1/2 brass ballcock valve.
- ✓ Stainless Steel Finish.

Dimensions

Length:	490mm
Width:	660mm
Depth:	200mm
Capacity:	20L



SUPER STAINLESS TIP-OVER DRINKER

The **Super stainless Tip-over drinker**, ensures quick emptying & cleaning. Supplied with a 2 bar surround for increased protection & Std 1/2" Brass Ballcock valve.

- ✓ Complete with 48 x 3mm CHS 2 Bar Surround.
- ✓ Complete with a Standard Red Ballcock and drainage outlet.
- ✓ Available Hot Dipped Galvanised or stainless steel.

Dimensions

Length:	470mm
Width:	660mm
Depth:	200mm
Capacity:	21L



SMALL DRINKER

The Condon Small Heavy-Duty Drinker is easily recognised for its robust design for added protection against damage by machinery and larger animals. **Available In stainless Steel.**

- ✓ Complete with a Standard Ballcock and fittings.
- ✓ Complete with 1.5" drainage outlet on underside.

Dimensions

Length:	370mm
Width:	350mm
Depth:	190mm
Capacity:	7L



COMPACT DRINKER

The Condon Compact Drinker offers similar toughness with a smaller design. The curved design means no sharp edges, ensuring safety for your animals. **Also available in Stainless Steel.**

- ✓ Standard size is 2250mm (7ft 6"). Its capacity is approx. 130L.
- ✓ Reduces amount of wasted feed by raising it off the passage.
- ✓ Hot Dipped Galvanised.



Dimensions	
Length:	2250mm
Width:	400mm
Depth:	187.5mm

BARRIER TROUGH

Our Barrier Troughs do a very similar job to our calf troughs (page 46). This trough is bigger and heavier, making it more suited towards larger animals, hung on the outside of a feed barrier.

- ✓ Frame is fully Hot Dipped Galvanised.
- ✓ Folded Galvanised Sheet Tray.
- ✓ 8ft Long.

Dimensions	
Length:	2480mm
Width:	420/840mm
Tray Depth:	150mm



8FT SINGLE/DOUBLE TROUGH

The Standard Single/Double Trough is perfect for outdoor feeding. The material is entirely galvanised to ensure protection against the elements.

- ✓ Wheels and standard trailer hitch supplied as standard.
- ✓ 22 Head spaces.
- ✓ Tailgate hinges open.

Dimensions	
Length:	2450mm
Width:	1500mm
Height:	1560mm



MINI FEED TRAILER

Our new Mini Feed Trailer is the perfect solution to quick and efficient transportation from field to field. Tailgate hinges open, sloped sides allow access to all the feed.

- ✓ Restriction Guard on the feeder controls the rate of feed that they can access.
- ✓ Large lid allows it to be filled using a loader when in situ.
- ✓ Green cover deters pests stealing food.



1.5T CONTROLLED FEEDER

The 1.5 Tonne Controlled Feeder is a very versatile product, suitable for feeding all sizes of stock, from calves to finishing bulls. It is very portable and gives feeding access on both sides.

- ✓ Reduces feed waste.
- ✓ Keeps feed elevated and off the ground.
- ✓ Access Gate at the front makes loading of bale easier.



BALE CRADLE

The New Condon Bale Cradle reduces feed waste, is easily transported and is **available with or without a roof**.

- ✓ Tail gate hinges open. Sloped sides allow access to all of the silage.
- ✓ Feeding height is 600mm (2 ft).
- ✓ Hot dipped galvanised with treated timber floor



SILAGE FEED TRAILER

The Mobile Silage Feeder brings the benefits of diagonal feeding barriers outdoors. The design helps to prevent bullying and stops large amounts of feed being dragged out of the feeder.

- ✓ Adjustable legs allow the bin to be raised up to 1m off the ground.
- ✓ Lid slides open half way and then hinges up, only opening to half its height.
- ✓ Pallet fork attachments and sight glass.

Dimensions

Height:	2450-2650mm
Width:	1250mm
Depth (Front to Back):	1640mm



1 TONNE MEAL BIN

The Condon 1 Tonne Meal Bin is a very popular feed storage option for farmers. This is primarily due to its compact size and portability. **Capacity:** 1.4m³

- ✓ Adjustable legs allow the bin to be raised up to 1m off the ground.
- ✓ Lid opens easily with the help of gas struts, similar to those on the boot of a car.
- ✓ Pallet fork attachments and sight glass.

Dimensions

Height:	2450-2650mm
Width:	2560mm
Depth (Front to Back):	1400mm



2 TONNE MEAL BIN

Our Brand New 2 Tonne Meal Bin has received a lot of interest so far. It offers a good balance of a large capacity but still a compact size and very portable. **Capacity:** 3.0m³

- ✓ Adjustable legs allow the bin to be raised off the ground.
- ✓ Can be filled using twin blow in pipes or from the lid on top using a loader.
- ✓ Pallet fork attachments and sight glass.

Dimensions

Height:	3000mm
Width:	2500mm
Depth (Front to Back):	2500mm



5 TONNE MEAL BIN

Our 5 Tonne Meal Bin strikes the perfect balance between capacity and form factor. For a bin of its size, it takes up a lot less space than our larger options. **Capacity:** 7.9m³

- ✓ Adjustable legs allow the bin to be raised off the ground.
- ✓ Can be filled using twin blow in pipes or from the lid on top using a loader.
- ✓ Pallet fork attachments and sight glass.

Dimensions

Height:	3000mm
Width:	3000mm
Depth (Front to Back):	2500mm



8 TONNE MEAL BIN

The 8 Tonne Meal Bin offers great flexibility to the farmer, it is easy to fill with either a front loader or through the twin blow in pipes. **Capacity:** 12.5m³

- ✓ Adjustable legs allow the bin to be raised off the ground.
- ✓ Can be filled using twin blow in pipes or from the lid on top using a loader.
- ✓ Pallet fork attachments and sight glass.

Dimensions

Height:	3500mm
Width:	3000mm
Depth (Front to Back):	2500mm



10 TONNE MEAL BIN

Our 10 Tonne Meal Bin possesses all the same features as the 8 Tonne, the only difference is the bin is taller, allowing you to fit more in. **Capacity:** 15.6m³

- ✓ Adjustable legs allow the bin to be raised off the ground.
- ✓ Can be filled using twin blow in pipes or from the lid on top using a loader.
- ✓ Pallet fork attachments and sight glass.

Dimensions

Height:	4000mm
Width:	3000mm
Depth (Front to Back):	2500mm



12 TONNE MEAL BIN

The largest of our Meal Bins is the 12 Tonne. Up to 5m in height when its legs are fully extended, this bin can also be filled by the twin blow in pipes or with a loader. **Capacity:** 18.75m³






CALF EQUIPMENT

- ✓ Headlock is attached to Calving Support Gate.
- ✓ Spring Loaded Release bar ensures safety for your animals.
- ✓ Provides safe control of cow during calving.
- ✓ Centre gate opens independently to perform caesarean.
- ✓ Available in sizes from 11ft to 16ft.



3 IN 1 CALVING GATE




1. Caesarean gate.
2. Gives calf access to feed.
3. Spring Loaded Release Bar.
4. Rope operated ratchet headlock.

- ✓ Headlock is separate to main gate and both can be folded against the wall.
- ✓ Dropbar and Overhead Support Arm on Headlock eliminate the need for a post.
- ✓ The main gate hinges on headlock, which allows greater control in positioning the animal.
- ✓ Centre gate opens to perform caesarean.
- ✓ Available in sizes from 11ft to 16ft.



SUCKLER CALVING GATE



1. Overhead Support Arm.
2. Dropbar into ground.
3. Gives calf access to feed.
4. Spring Loaded Release Bar.
5. Rope operated ratchet headlock.

- ✓ Hinges on headlock or post, which allows greater control in positioning the animal.
- ✓ Centre gate opens to perform caesarean if necessary.
- ✓ Middle Gate opens to allow calf to feed.



Dimensions	
Length:	9ft - 13ft
Middle Gate:	1855mm
Height:	1150mm

CALVING SUPPORT GATE

The Calving Support Gate works alongside a calving gate headlock to ensure a safe calving process for the farmer and the animals.

- ✓ Fully welded, no sheeting screwed on - Easy to clean!
- ✓ 2 height adjustable bucket holders, can be positioned above or below opening.
- ✓ Plastic Slatted Floor.

Dimensions	
Length:	1245mm
Width:	895mm
Height:	1250mm



INDIVIDUAL CALF PEN

Our Individual Calf Pens are really quick to assemble and dismantle. They come in flat packs share a side with their neighbour, making them easy to transport and store when not needed.

- ✓ Steering Arm also acts as a brake (when down).
- ✓ Sides are removable, back door doubles as a ramp too.
- ✓ Chequer plate floor.

Dimensions	
Length:	1260mm
Width:	770mm
Height:	1335mm



CALF TRANSPORTER

The Condon Calf Transporter is a lightweight but robust cart, ideal for moving calves around the farm. It is very versatile - its removable sides make it useful for moving just about anything!

- ✓ Made from 40×40 box & 42mm Tubular Steel.
- ✓ 2no. Adjustable Feed Rail supplied as standard.
- ✓ Eyebolts allow slope and distance to be adjusted.
- ✓ Calf Feed Barrier is 1050mm high in total.
- ✓ Access gate is an optional extra.



CALF FEED BARRIER

Our calf feed barriers are a made to measure solution, suitable for all calf sheds. The adjustable rail means they will continue to cater for your stock as they grow.



- ✓ Available in a range of lengths to span from 3ft to 19ft.
- ✓ Made with 5no. 42mm CHS rails and 40mm x 40mm box uprights.
- ✓ Drinker Front also available.



Dimensions	
Length:	1000mm - 5500mm
Spacing:	182.5mm
Height:	940mm

CALF DIVIDING GATES

Our Calf Dividing Gates offer the same practicality as our standard 5 Bar Dividing Gates but with lighter rails and smaller spacings, making them ideal for your smaller stock.



- ✓ Vertical bars run down the front of the rack. The sides are sheeted, as shown.
- ✓ Hangs on Feed Barrier or Gate and can be hung back to back.
- ✓ Hot Dipped Galvanised.



Dimensions	
Length:	1200mm
Height:	660mm
Depth:	200mm

STRAIGHT BAR HAY RACK

The 4ft Straight Bar Hay Rack is the perfect means of feeding younger stock. It hangs on any gate or barrier and its open front allows even the smallest of your calves to feed easily.

- ✓ 2" mesh on the front of the rack with sheeted sides.
- ✓ Hangs on Feed Barrier or Gate and can be hung back to back.
- ✓ Hot Dipped Galvanised.



Dimensions	
Length:	1200mm
Height:	660mm
Depth:	200mm

MESH HAY RACK

The 4ft Mesh Hay Rack is the perfect means of feeding younger stock. It hangs on any gate or barrier and its open front allows even the smallest of your calves to feed easily.

- ✓ Keeps hay / silage / straw clean, dry & prevents wastage.
- ✓ The Frame is fully Hot-dipped galvanised.
- ✓ Suitable for hay, haylage, silage or straw.

Dimensions	
Length:	620mm
Height:	479mm
Width:	498mm



2FT DOUBLE HAY RACK

The new 2ft Double Hay Rack provides feed for 2 pens at same time as fits on top of gates/ hurdles.

- ✓ Single Calf Trough is available in 4ft and 8ft lengths.
- ✓ The Frame is fully Hot-dipped galvanised.
- ✓ Easily moved around from shed to field.



Dimensions	
Length:	1220-2400mm
Height:	430mm
Width:	305-600mm

SINGLE CALF TROUGH

The new Single Calf Trough is available **4ft** or **8ft** Long with single feeding space. Its the ideal solution for outdoor feeding.

- ✓ Available in 2 standard sizes - 4ft & 6ft. Capacities of approx. 60L and 90L.
- ✓ Hangs on Feed Barrier or Gate and is suitable for feeding milk or meal.
- ✓ Hot Dipped Galvanised.



Dimensions	
Length:	1280/1875mm
Width:	300mm
Depth:	165mm

CALF TROUGH

The Hang-on Calf Trough is available in 4ft or 6ft long. Ideal for indoor or outdoor feeding. **Hot-dipped galvanised.**

- ✓ Available in 2 standard sizes - **2ft** & **4ft**. Capacities of 37.5kg & 75kg respectively.
- ✓ Hangs on any type of gate. Suitable for field or shed.
- ✓ Green cover prevents birds getting feed.



Dimensions	
Length:	600mm/1200mm
Width:	550mm
Height:	620mm

CALF FEEDER BOX

The Calf Feeder Box is available **2ft** or **4ft** Long. Its the ideal solution for outdoor or indoor feeding. The internal slopes funnel the feed, and feed rate is easily adjusted.

- ✓ Available 8ft in length with removable hinged penning.
- ✓ Movable with a standard 3-point linkage or with front loader pallet forks.
- ✓ 2 Drainage Valves.



Dimensions	
Length:	2400mm
Creep Area:	1500mm long
Height:	1500mm

CALF CREEP FEEDER



- ✓ Trough folds up for transport. Length when moving is reduced to 20 ft.
- ✓ Drawbar and support leg are hidden when in use.
- ✓ Hot Dipped Galvanised.




Dimensions	
Length:	9m
Width:	450mm
Tray Depth:	150mm

30FT MOBILE TROUGH



- ✓ Ratchet Push-Up Anti Backing Bar and Ratchet Belly Band hold calf in position.
- ✓ Nose band and spring loaded head locking bar hold head securely in place.
- ✓ Quick Release Front Door.




Internal Dimensions	
Length:	1070mm
Width:	345mm
Height:	860mm

DELUXE DEHORNING BOX



- ✓ Can hold up to five calves at a time, five sucking buckets also included.
- ✓ Fitted with wheels to allow the box to be moved easily.
- ✓ Prevents bullying at feeding time.

Dimensions	
Height:	900mm
Width:	1600mm
Depth:	1500mm



CALF STARTER BOX








CONDON
ENGINEERING

CONDON

COND/139

HANDLING EQUIPMENT




At Condon Engineering, we have developed a flair for designing Handling Systems that reduce stress and improve safety for both the operator and the animals.

We understand that one farmer's requirements may differ from the next. As such, our handling systems do not have to be a 'one size fits all' set-up.


Our Design Team create bespoke solutions with a focus on some key principles – Safety, Ease of Use & Practical Animal Flow.

7.5m Sample Layout (4 Curved Panels)





5m Sample Layout (3 Curved Panels)



- ✓ 60x60 box section at both ends with 60mm horizontal rails.
- ✓ Hangs on 2 eyebolts and opens with single latch.
- ✓ Top bar longer to protect rising cattle.




Dimensions	
Length:	2120mm
Height:	1140mm
Post Centres:	2355mm

CRUSH POST & GATE PANELS

We stock a wide range of posts available to suit any crush layout. Hangers and receivers are positioned on the posts to suit our crush gate panels and back gates.

- ✓ We stock a range of posts to suit 48mm rails or 60mm rails.
- ✓ Posts should be set in concrete 450mm deep.
- ✓ Posts available with or without hangers.



Dimensions	
Rail Lengths:	5m/6m
Post Centres:	2500mm
Post Height:	2000mm

CRUSH POST & RAILS

A Post & Rail crush run is ideal where gates aren't necessary. It is worth noting that we would always recommend that a crush has gate panels on one side in case of emergency.

- ✓ 2 set-ups available; 3 curved panels (to suit 5075mm diameter) or 4 curved panels (to suit 7500mm diameter) (pictured right)
- ✓ Spring loaded gate latch and angled notches provide non-return feature.
- ✓ Animals can't turn and must enter crush.



Specifications	
Curved Panel Frame:	50x50x3mm Box
Hanging Posts:	100x100x4mm Box

CIRCULAR FORCING AREA

A circular forcing area at the back of a crush provides the farmer with the highest levels of safety and practicality. It takes the pain out of using the crush and helps save time.

- ✓ 4no. 60mm Horizontal Bars with 60x60 box uprights at both ends.
- ✓ Single standard latch w/ latch cover.
- ✓ Perfect for use as a Vet Gate also.
- ✓ **SPRING LOADED LATCH OPTION ALSO AVAILABLE.**

Dimensions

Height:	1140mm
Width:	750mm
Post Centres (Vet Gate):	920mm



CRUSH BACK GATE

Our Standard Crush Back Gate is may be used at the back of a race or on the side as a vet gate. It is a key part of most crush layouts. Spring loaded latch option also available.

- ✓ Designed to make the job of handling animals easier for the operator.
- ✓ Spring Loaded Latch System allows gate to be easily pushed closed.
- ✓ Fully hot dipped galvanised.

Dimensions

Height:	1500mm
Width:	2400mm
Spacing:	290mm



SLAM BACK GATE

Slam Back Gate uses a spring loaded latch system with an easily accessible handle above the top of the gate.

- ✓ Can be fitted to open to the left or right depending on the layout of your crush.
- ✓ Simple locking system ensures gate stays closed.
- ✓ Hot dipped galvanised.

Dimensions

Height:	2000mm
Opening Width:	740mm
Total Width:	1868mm (open)



SLIDING BACK GATE

The Sliding Back Gate is a great option, especially for farmers who are handling large herds at a time. As this gate doesn't turn, you don't need to move the next cow back out of the way.

- ✓ Neck width can be easily adjusted on either side.
- ✓ Simple 1-lever operation. Stays open when releasing animals.
- ✓ Head scoop can be easily mounted on either side.
- ✓ Available with handle on right or left hand side.
- ✓ Simple mounting system ensures compatibility with all of our crush set ups.

Dimensions

Opening Height:	1800mm
Closed Width:	150mm
Internal Width:	715mm



SEMI AUTO HEAD GATE

The Semi Auto Head Gate is our most popular head gate option. It is a very cost effective solution for the front of the crush race.

- ✓ Compatible with all crush and head gate set ups. Wide range of mounting brackets.
- ✓ Moulded plastic head piece ensures comfort for the animal.
- ✓ Restricts side to side thrashing of the animal's head.
- ✓ Ratchet system allows simple operation and quick release.
- ✓ Available in Right or Left hand mounting.
- ✓ Enables the animals head to be lifted safely, helping farmers to complete dosing and bolusing easily.

Dimensions

Height:	380mm
Length:	1540mm
Mounting Height:	Approx. 900mm



CONDON HEAD SCOOP

Our Head Scoop enables the animal's head to be lifted safely, helping farmers to complete dosing and bolusing with ease. It can be fitted to all types of crushes and is suitable for handling both dairy and beef animals.

- ✓ Opening width is easily adjusted with spring loaded handles on front.
- ✓ Should an animal manage to close the gate without putting its head through, reset handles allow the head gate to be reset without the animal exiting the crush.
- ✓ Head scoop can be easily mounted on either side.
- ✓ Multiple mounting options, making it compatible with all crush set ups.

Dimensions

Opening Height:	1600mm
Internal Width:	735mm
Head Width:	100 - 250mm



BEEF HEAD GATE

The Beef Gate is a self-locking head gate, suitable for dairy and beef animals. It is activated by the forward movement of the animal, essentially pushing their way into the correct position.

- ✓ Locks at any point, meaning door cannot be forced open from the inside.
- ✓ Handle is sleeved on a bar running the length of the crush, meaning it can be operated from the rear of the animal.
- ✓ Rubber pads on either side ensure the gate is kind to the animal.
- ✓ Available with handle on right or left hand side.
- ✓ Fully sheeted sides prevent the animal getting legs caught between bars.
- ✓ It is compatible with all of our crush set ups.

Dimensions

Opening Height:	1730mm
Closed Width:	150mm
Max Opening:	730mm



WARRIOR HEAD GATE


The Warrior head gate is a manual operation scissor type gate which locks at any point, meaning you'll never need to adjust it for the size of your animals.



20FT MOBILE CATTLE CRUSH

The New 20ft Mobile Cattle Crush is stronger, safer and can be easily transported. Also available with a 20ft x 20ft Pen to have complete control of your cattle.

- ✓ 20ft Mobile Cattle Crush
- ✓ Full unrestricted access both sides of the 20ft mobile cattle crush.
- ✓ Forcing gate allows loading the crush from the side.
- ✓ Removing drawbar allows loading the crush from the rear.
- ✓ Hydraulic lift & lower using tractor hydraulics.
- ✓ Semi-Auto head gate and crush back gate supplied as standard
- ✓ Kraiburg MONTA grip mat on mobile crush floor.
- ✓ 20ft x 20ft pen optional
- ✓ Hot dipped galvanised.



Dimensions

Internal Height:	1750mm	External Height:	2300mm
Internal Width:	730mm	External Width:	1680mm
Internal Length:	6300mm	External Length:	8020mm



- ✓ Provides full unrestricted access to the sides and neck of the animal.
- ✓ Warrior Head Gate & Beef head gate can be integrated into the design.
- ✓ Sliding Back Gate also included as standard and can be fitted on left or right.
- ✓ Quick squeeze release handle allows any-hand operation.
- ✓ Weighing Scales and Head Scoop are optional extras.
- ✓ Spring loaded self closing latches on all doors.
- ✓ Middle gate features fingers to allow an anti backing bar to be pushed through.



SQUEEZE CRUSH BOX

Dimensions

Internal Height:	1750mm	External Height:	2300mm
Internal Width:	730mm	External Width:	1200mm
Internal Length:	2880mm	External Length:	3000mm

The Squeeze Crush Box is designed to suit herds with a variety of cattle sizes. With the squeeze controls on the side of the crush box allows any hand operation and increases efficiency.



- ✓ Provides full unrestricted access to either side of the animal.
- ✓ Comes with Beef Head Gate that is integrated into the design.
- ✓ Sliding Back Gate also included as standard and can be fitted on left or right.
- ✓ Kraiburg Monta Mat is fitted to the floor to provide superior grip.
- ✓ Weighing Scales and Head Scoop are optional extras.
- ✓ Spring loaded self closing latches on all doors.
- ✓ Middle gate features fingers to allow an anti backing bar to be pushed through.



SUPREME CRUSH BOX

Dimensions

Internal Height:	1750mm	External Height:	2080mm
Internal Width:	735mm	External Width:	1100mm
Internal Length:	2500mm	External Length:	2620mm

The Supreme Box is the Gold Standard in cattle handling units. It ensures maximum safety for both the operator and the animal without compromising on function or practicality.







The 8 foot Mobile Crush is ideal for use on outside farms or extending existing crush races. We offer 3 point linkage as standard, also compatible with 8ft cattle hurdles.

3-Point Linkage

8FT Cattle Hurdle



3-Point Linkage on one side.
2-bar gate on the other side.

8ft Cattle Hurdle
Drop-Pin System

Standard Features

Optional Extras

- ✓ 8 foot cage c/w chequer plate floor.
- ✓ Semi-auto gate & slam back gate included as standard.
- ✓ Pallet fork attachments.
- ✓ Hot Dipped Galvanised.

- ✓ Beef or Warrior Head Gate and Sliding Back Gate.
- ✓ Weighing System fitted below the floor.
- ✓ Head Scoop can be easily mounted.
- ✓ Crush Fingers.



16FT MOBILE CRUSH



- ✓ Chequer plate floor for front 8 foot.
- ✓ Second section rotates into a pair of 8 foot sections for transport.
- ✓ 3 point linkage and pallet fork attachments.
- ✓ Semi-auto gate and slam back gate as standard.
- ✓ 2 bar c-section gate.
- ✓ can be folded up and moved easily.



- ✓ Fitted with semi-auto gate and extension handle to close gate from rear of animal.
- ✓ Belly band keeps the cow in position.
- ✓ Ratchet rump bar helps push the animal forward as it enters and prevents backing.
- ✓ Hand operated winch allows the operator to lift each leg easily.
- ✓ Height-adjustable W shaped bar at rear helps to secure the hind legs and ensures maximum safety for the operator.
- ✓ Wooden blocks help to position the front legs and keep them secure.
- ✓ Side gates provide greater access when necessary.



HOOF PARING CRATE


Our Hoof Paring Crate is designed to make hoof maintenance easier and safer for both the animal and the farmer. The portable crate is typically positioned in front of a crush race when it is in use.

Dimensions

Height:	1865mm
Width:	850mm
Length:	2200mm



Anti-kick W shaped Bar





FULLY HYDRAULIC HOOF CRATE

- ✓ Fitted with Hydraulic head gate and button controls to open/close head gate from the back/side of crate.
- ✓ Belly band keeps the cow in position.
- ✓ Hydraulic rump bar helps push the animal forward as it enters and prevents backing.
- ✓ Hydraulic winches allows the operators to lift each leg easily.
- ✓ Height-adjustable W shaped bar at rear helps to secure the hind legs and ensures maximum safety for the operator.
- ✓ Wooden blocks help to position the front legs and keep them secure.
- ✓ Side gates provide greater access when necessary.



Dimensions

Internal Height:	1715mm	External Height:	2500mm
Internal Width:	740mm	External Width:	856mm
Internal Length:	2200mm	External Length:	3354mm

- ✓ Allows backing bar to be pushed in behind animal and slid forward.
- ✓ Angled Fingers hinge forward so bar doesn't need to be taken out to push animal forward.
- ✓ Suitable for Mobile Crush, Crush Panels & Post & Rail Crush.



CRUSH FINGERS SET

- ✓ Suitable for use with a Batch AI Crush.
- ✓ Position of bar is easily adjustable (forward, back, up & down) to suit the size of your animals.
- ✓ Allows for simple one-man operation, can be used to follow the animal up the AI Crush



AI BACKING BAR

- ✓ Suitable for use with a Mobile Crush, Crush Panels or Post & Rail Crush.
- ✓ Position of bar is easily adjustable (forward, back, up & down) to suit the size of your animals.
- ✓ Handle twists to lock bar in place from outside the crush race.



ANTI BACKING BAR

- ✓ Suitable for use with a Mobile Crush, Crush Panels or Post & Rail Crush.
- ✓ Position of bar is easily adjustable (forward, back, up & down) to suit the size of your animals.
- ✓ Handle twists to lock bar in place from outside the crush race.



LEG HOIST

- ✓ Built in Bluetooth® for wireless connections to EID readers and other devices.
- ✓ Calculates live weight gain from previous sessions.
- ✓ Stores up to 100 sessions and 20,000 records.



TRU-TEST EziWeigh7i INDICATOR

- ✓ Highly visible display.
- ✓ Features Superdamp™ III Technology which captures accurate live weights more quickly scale indicator on the market.
- ✓ Up to 20hrs of run time & only 3 hours to recharge.



TRU-TEST S3 INDICATOR

- ✓ Versatile & Corrosion-resistant.
- ✓ Sealed load cell. Protects the load cell against moisture damage allowing the load bars to remain outside.
- ✓ Easily set up with a rigid crate or platform.
- ✓ Total capacity: 5,000 kg



HD5T LOAD BARS

- ✓ Versatile & Corrosion-resistant.
- ✓ Sealed load cell. Protects the load cell against moisture damage allowing the load bars to remain outside.
- ✓ Easily set up with a rigid crate or platform.
- ✓ Total capacity: 2,000 kg



MP600 LOAD BARS



OTHER ITEMS

- SRS2 Stick Reader
- XRS2 Stick Reader

Visit livestock.tru-test.com for more information.





SHEEP EQUIPMENT



LAMB CREEP FEEDER

The Lamb Creep Feeder is perfect for outdoor feeding for young lambs. It is very lightweight and portable and can be easily filled.

- ✓ Capacity: 198L
- ✓ Double sided feeding (24 feed spaces in total).
- ✓ Supplied with solid rubber wheels: 280mm x 60mm.
- ✓ Feed spacing is easily adjustable.
- ✓ Spring Loaded Easy Exit Feature reduces instances of head trapping.
- ✓ Very light weight and portable.

Dimensions

Height:	1865mm
Width:	850mm
Length:	2400mm





LARGE LAMB CREEP FEEDER

The Large Lamb Creep Feeder offers a lot to the farmer. It is large but portable and can be filled easily with a loader. The creep gates are held up for transport using spring loaded latches.

- ✓ Capacity: 470L
- ✓ Width between bars: 210mm
- ✓ Feeding Height: 325mm
- ✓ Wheels: 480mm diameter
- ✓ Feed rate is adjustable.
- ✓ Creep gates are hinged for transport.
- ✓ Fully Hot Dipped Galvanised.
- ✓ Detachable hitch.
- ✓ Available with / without Wheels & Hitch.



- ✓ Made from 40×40 box & 42mm Tubular Steel.
- ✓ 1 no. Adjustable Feed Rail supplied as standard.
- ✓ Eyebolts allow slope and distance to be adjusted.



Dimensions	
Length:	4500mm std size
Height:	1000mm

SHEEP FEED BARRIER

Sheep feeding barriers with adjustable feed rail are the ideal solution (along with our walk through troughs) for sheep penning.

- ✓ Available in 2.4m (8ft) or 3m (10ft) in length.
- ✓ Ideal for dividing sheep pens. Adjustable feed rail height.
- ✓ Hot dipped galvanised.



Internal Dimensions	
Length:	2400mm/3000mm
Width:	650mm
Height:	1000mm

WALK THROUGH TROUGH

The Walk Through Trough is available in 2.4m (**8ft**) or 3m (**10ft**) in length. Ideal for dividing sheep pens. Has an adjustable feed rail height.

- ✓ Single Sheep Trough is available 8ft Long
- ✓ Single feeding space and can be easily moved around from shed to field.
- ✓ Frame is fully hot dipped galvanised.



Dimensions	
Length:	2400mm
Width:	220-330mm
Height:	280mm

SINGLE SHEEP TROUGH

The New Single Sheep Trough is available **8ft** Long with single feeding space and is perfect for outdoor feeding.

- ✓ Analog Clock (200kg) supplied as standard. Digital clock also available.
- ✓ 3 way Drafting gates. Equal weighing across whole length of the platform.
- ✓ Easy open front & back gates from rear.

Internal Dimensions

Length:	950mm
Width:	365mm
Height:	720mm



LAMB WEIGHING CRATE

This crate makes it easy to weigh and draft lambs so the farmer can quickly track performance, over time, ensuring lambs reach their target weight.

- ✓ Effortlessly allows full access to all parts of the animal.
- ✓ Turnover is operated by releasing the foot pedal, allowing gravity to do the work.
- ✓ Wheels for added portability.

Dimensions

Length:	1600mm
Width:	820mm
Height:	1100mm



SHEEP TURNOVER CRATE

Our New Sheep Turnover Crate offers a safe and simple means of handling your sheep. The locking system can be quickly adjusted for the size of each animal.

- ✓ Condon Sheep Hurdles are available in **4ft, 5ft, 6ft, 8ft & 10ft.**
- ✓ Drop-pin hurdles are fully hot-dipped galvanised after manufacture.
- ✓ Drop Pin System ensures easy assembly.

Dimensions

Length:	1200-2400mm
Height:	920mm



SHEEP HURDLES


Our New Sheep hurdles are easily and quickly assembled into sheep pens with their drop pin design. Ideal for stock management and handling facilities.

SHEEP CRUSH ITEMS

2-Way Drafting Gate



Tilt & Slide Gate



Race Joining Frame




Lift & Swing Guillotine Gate



2 Gates in a Frame



sheep panel w/access gate (10ft)



Curved Sheeted Hurdle




6 Bar Forcing Gate



6 Bar Sliding Hurdle




Sheeted Hurdle (2ft/8ft)




SHEEP LAYOUTS

Layout A



Layout B



Condon Engineering

Kells Road, Collon,
Co. Louth, A92 FC91,
Ireland

T: +353 41 9826379 

E: info@condonengineering.ie

www.condonengineering.ie

Agent:

Condon Engineering



CondonEngineering



condonengineering



Condon Engineering



MadeByCondons



condonengineering